

Superior Protectionbuilt for your Garage Door

Why Storm•Safe™?

- Protect your home in cylone-affected regions
- Independently tested to AS/NZS 4505: 2012 for all cyclonic regions
- Features patented Panel-Loc™ safety technology
- C2, C3 & C4 rated doors available





Extra Protection when Extreme Pressure is Applied

Cyclone Rated Windlocked Sectional Door

Gliderol's Storm•Safe™ Sectional Door has been uniquely designed using patented Panel-Loc™ technology, which provides the ultimate in safety and durability.

Designed in Australia and locally manufactured, the Gliderol Storm•Safe™ Sectional Door is engineered to withstand Australia's harshest weather conditions. The sleek and innovative design adds extra protection when extreme pressure is applied.

Gliderol's independently tested patented Panel-LocTM technology incorporates aluminium end caps into every panel, interlocking with a specially designed aluminium upright to automatically lock in place should a cyclonic event occur.

With all windlocking built direct into the door itself, your Gliderol Storm•Safe™ door is always storm-ready and requires no manual preparation or intervention.

Storm•Safe's™ lightweight design eliminates heavy and cumbersome components, reducing overall weights resulting in maximum strength, with minimal fatigue, over the life of the door.

Durable aluminium Panel-Loc $^{\text{\tiny{TM}}}$ door hardware is not only easy to install, but corrosion resistant and neat in appearance.

With state-of-the-art technology, you can be confident Gliderol's Storm•Safe™ Sectional Door will safeguard your home, keeping your family and your property protected.

Panel-Loc™

Patented Panel-Loc™ safety technology



Enhanced security of your assets



Simplicity in design with maximised durability



Hard-wearing & high performance




Independently tested to AS/NZS 4505:2012



Available in a wide range of Colorbond® steel colours

Key Features of Your **Storm•Safe**™ Sectional Door




Panel-Loc™ Aluminium End Caps

Panel-Loc™ Aluminium End Caps are fitted to either end of every Storm•Safe™ door panel. With patented windlocking channel molded directly into each end cap, panels automatically lock in place around the Panel-Loc™ Uprights with no preparation required.



Panel-Loc™ Aluminium Uprights

Fixed securely at either end of the door opening, Panel-LocTM Aluminium Uprights provide a solid anchor point for Panel-LocTM end caps, delivering a lightweight interlocking safety system without the need for additional posts or fixings.



Door Configuration	Door Size Range (Maximum)	
	Height (mm)	Width (mm)
Cyclone Rated SSC2 Panel Doors (C2 Compliant - Postless)	3600	6100
Cyclone Rated SSC3 Panel Doors (C3 Compliant - Postless)	3600	5510
Cyclone Rated SSC3 Posted Panel Doors (C3 Compliant)	3600	5511 - 6100
Cyclone Rated SSC4 Panel Doors (C4 Compliant - Postless)	3600	3210



Designing Your **Storm•Safe**[™] Sectional Door

Pick your Door Profile & Finish (Available In a Smooth or Woodgrain)

Oxford

Classic Georgian squares for a traditional look. Each square is precision pressed in manufacturing for quality & strength.



Madison

Clean, sharp lines with an optional textured finish to perfectly blend with rendered homes.




Hampton

An elegant design incorporating rectangular embossments for a classic, yet strong style.



Tuscan

A timber planked style door. Horizontal "V" grooves create a sleek and contemporary look.



Motor & Remote Control Options

Genesis Sectional Door Openers

- Easy to use LED digital display
- Improved energy efficient unit with LED lighting
- Soft start/soft stop
- Electronic limits
- Safety auto reverse
- Belt drive for smooth, quiet operation

Genesis: For most residential sized garage doors







3 x Remotes Supplied

Genesis Optima: For larger sized garage doors







Sectional Door Colour Options

COLORBOND® Colour Range



The COLORBOND® steel colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. COLORBOND®, BlueScope and colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trademarks of BlueScope Steel Limited. COLORBOND®, BlueScope and ® colour names are registered trade marks and ™ colour names are trade marks of BlueScope Steel Limited. © 2024 BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved.

Native Colour Range



Weathered



Walnut



Grey Oak



Caoba





Golden Oak



Ashwood



Dark Oak



Classic Cedar

Platinum Colour Range



Silver Quartz



Zinc Graphite



Midnight Matt

(Exclusive to Gliderol)

Colours shown have been photographed to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. Colour samples are available from your local Gliderol office.





Durable design



Customised to your needs



Solutions for all budgets



Locally manufactured in Australia

Call your local Gliderol Office on 1300 799 144

Or email us at sales@gliderol.com.au

www.gliderol.com.au